



SIMPLE INGENUITY

February 2015

## LEVEL.IT ADJUSTABLE DECK SUPPORTS

- Simple, extended height range pedestal
- Patented design features exclusive internal coupler
- Commercial quality and durable
- Fast and easy installation promotes labor savings
- Screw-to-adjust pedestals assures perfectly level decks
- No maintenance and long lasting
- Made in the U.S.A.



## **S**PECIFICATIONS

- Supports 750 lbs per pedestal (FS:3)
- Level.it adjustable system height range is 2 inches to 12 inches
- Accessories for heights from 1/8 inch to 2 inches
- Pedestals made of High Density Copolymer Polypropylene
- Contains 20% Post-Industrial Recycled Material
- Impervious to water, mold and freeze/thaw
- Usually ships in 1 2 business days
- Made in the U.S.A.

	- Barden	Model No.	Description	Height Range	Max Height
		LC-316 LC-18	Adjustable Pedestal (Select 1/8" or 3/16" Tab Size)	2" - 4 3/4"	4 3/4"
		C1	Gray Coupler	Adds up to 1 1/2"	
		C4	Black Coupler	Adds up to 4" each	12 "
Tabs		LC18 LC316	Tab	3/16" wide 1/8" wide	
Accessories		VT18 VT316	Use for Ultra Low Height (Select 1/8" or 3/16" Tab Size)	1/8" high	1/8″
	طلطك	HD25-18 HD25-316 HD50-18 HD50-316 HD75-18 HD75-316	Fixed Height Stackable Pedestals (Select 1/8" or 3/16" Tab Size)	1/4" 1/2" 3/4"	Stack up to 4
		LO-18 LO-316	Low Height Adjustable Pedestal (Select 1/8" or 3/16" Tab Size)	1 1/4" - 2"	2"
		B11	Flexible Shim	1/16"	1/16"
		PS1	Plastic Shim	1/8"	1/8″
		LD4	Base Leveler	0" - 1" per foot slope Stack up to 4	3/8"center thickness
	-8	FS1	Wood Tile Fastening Kit	Secure Bison Wood Tiles to pedestal system.	
	-	BB Wedge	Bison Wedge Spacers	adds 3/16" in width nominal	
		JT	Joist Top (Works with 2"x 4" and 4"x4" Lumber)	adds 3/16"	
		FIB	Floating Insulation Base	12" x 12" x 11/16" For use over roofing systems with 20 psi and less than 60 psi insulation.	
<u></u>		FFB	Floating Foundation Base	12" x 12" x 1/4" For use on grade (soil) under each pedestal.	

 ${\sf US\ Patent\ 7,921,412\ and\ Patents\ Pending.}\ Copyright\ 2015\ United\ Construction\ Products,\ Inc.\ All\ Rights\ Reserved$ 

